## **DW90**Wheel Dumpers







## Unbeatable off-roader


Uneven ground conditions are the area of application where the wheel dumper is most at home. This is where its strengths are displayed to best advantage: hydrostatic all-wheel drive with ECO mode, exceptional off-road capability and extreme gradeability, paired with different skip versions and a wear-free spring-loaded parking brake.

- Maintenance-free hydrostatic all-wheel drive.
- Very good gradeability
- Swivel tip skip optional ex factory
- Maximum payload 9,000 kg
- For maximum comfort. Optionally with air-conditioning system

## DW90 Technical specifications

	front tip skip	swivel tip skip	
Operating data			
Payload kg	9,000	9,000	
Shipping weight ROPS kg	5,232	5,664	
Shipping weight Cabin kg	5,432	5,864	
Operating weight ROPS kg	5,314	5,746	
Operating weight Kabine kg	5,514	5,946	
Skip capacity struck l	3,750	3,300	
Skip capacity heaped I	4,550	4,400	
Skip capacity water volume I	2,400	2,060	
Engine / Motor			
Engine / Motor manufacturer	Perkins	Perkins	
Engine / Motor type	854F	854F	
Engine / Motor	water-cooled 4-cylinder turbo-diesel incl. intercooler	water-cooled 4-cylinder turbo-diesel incl. intercooler	
Engine performance according to ISO 3046/1 kW	55	55	
Emission standards stage	3b	3b	
Displacement cm³	3,400	3,400	
Engine RPM rpm	2500	2500	
Emissions	Level 3b/Tier 4 final	Level 3b/Tier 4 final	
Traction drive	4WD, hydrostatic incl. ECO mode	4WD, hydrostatic incl. ECO mode	
Travel speed km/h	25	25	
Articulation angle °	29	29	
Pendulum angle °	11	11	
Turning radius mm	6,000	6,550	
Gradeability %	50	50	
Tires	500/60-22.5	500/60-22.5	
L x W x H mm	4760 x 2465 x 3165	5185 x 2465 x 2545	
Steering pump	Axial piston pump	Axial piston pump	
Flow rate I/min	152	152	
Operating pressure bar	450	450	
Duty pump	Gear pump	Gear pump	
Flow rate I/min	68	68	
Operating pressure bar	235	235	
Tank capacity	83	83	

## **DW90 Dimensions**



		front tip skip	swivel tip skip
Α	Overall length	4,762 mm	5,185 mm
В	Wheelbase	2,700 mm	2,700 mm
С	Rear overhang	1,292 mm	1,292 mm
Е	Dumping distance	556 mm	482 mm
F	Width	2,463 mm	2,463 mm
G	Skip width	2,493 mm	2,273 mm
Н	Height ROPS	3,163 mm	3,353 mm
I	Height ROPS tilted	2,354 mm	2,544 mm
J	Height Cabine	3,053 mm	3,243 mm
K	Dump height max.	495 mm	1,169 mm
L	Skip height tilted	2,756 mm	3,867 mm
M	Skip height not tilted	1,949 mm	2,121 mm
N	Dumping distance lateral		188 mm
0	Ground clearance	406 mm	406 mm
	Dump angle	47 °	40 °

Please note: that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions. Subject to alterations and errors excepted. Applicable also to illustrations.

Copyright © 2020 Wacker Neuson SE.